TRU)

Attorney's Docket 081468-0308684 Client Reference: P-1525.010-US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PATENT APPLICATION of:

Confirmation Number: 4827

ALPH BRINKHOF ET AL.

Application No.: 10/797,570

Group Art Unit: 2851

Filed: March 11, 2004

Examiner: Kim, Peter B.

For: ASSEMBLY COMPRISING A SENSOR FOR DETERMINING AT LEAST ONE

OF TILT AND HEIGHT OF A SUBSTRATE, A METHOD THEREFOR AND A

LITHOGRAPHIC PROJECTION APPARATUS

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

AMENDMENT/RESPONSE TRANSMITTAL

Transmitted herewith is an amendment/response for this application.

FEES

The fee for claims and extension of time (37 C.F.R. 1.16 and 1.17) has been calculated as shown below:

	CLAIMS REMAINING	HIGH	EST NO.								
	AFTER PREVIOUSLY			PRESENT EXTRA		RATE			ADDIT. FEE		
	AMENDMENT PAID FOR										
						. X					
TOTAL	30		30	=	0	\$	50.00	=	\$	0.00	
						X					
INDEP.	6	_	6	=	0	\$	200.00	=	\$	0.00	
FIRST PRESENTATION OF MULTIPLE DEP. +											
CLAIM						\$	360.00	=	\$	0.00	
TOTAL ADDITIONAL CLAIM FEE									\$	0.00	
GRAND TOTAL								\$	0.00		

FEE PAYMENT

Authorization is hereby made to charge the amount of \$0.00 to Deposit Account No. 033975. Charge any additional fees required by this paper or credit any overpayment in the manner authorized above.

Date: January 3, 2006

PILLSBURY WINTHROP SHAW PITTMAN LLP

P.O. Box 10500

McLean, VA 22102

703 770.7807

SEAN L. INGRAM Reg. No. 48283



Attorney Docket: 081468-0308684 Client Reference: P-1525.010-US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of: BRINKHOF Confirmation Number: 4827

ET AL.

Application No.: 10/797,570 Group Art Unit: 2851

Filed: March 11, 2004 Examiner: Kim, Peter B.

Title: ASSEMBLY COMPRISING A SENSOR FOR DETERMINING AT LEAST ONE OF

TILT AND HEIGHT OF A SUBSTRATE, A METHOD THEREFOR AND A

LITHOGRAPHIC PROJECTION APPARATUS

AMENDMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated October 28, 2005, please amend the aboveidentified application as follows: